

## reCardial – Relevante wissenschaftliche Publikationen und Leitlinien

- Adler, A. J. *et al.* (2017) 'Mobile phone text messaging to improve medication adherence in secondary prevention of cardiovascular disease', *Cochrane Database of Systematic Reviews*. John Wiley and Sons Ltd. doi: 10.1002/14651858.CD011851.pub2.
- Alessa, T. *et al.* (2019) 'Smartphone Apps to Support Self-Management of Hypertension: Review and Content Analysis', *JMIR mHealth and uHealth*. Canada, 7(5), p. e13645. doi: 10.2196/13645.
- Appleby, E. *et al.* (2019) 'Effectiveness of telerehabilitation in the management of adults with stroke: A systematic review', *PLOS ONE*. Edited by W. Cheungpasitporn. United States, 14(11), p. e0225150. doi: 10.1371/journal.pone.0225150.
- Brørs, G. *et al.* (2019) 'Modes of e-Health delivery in secondary prevention programmes for patients with coronary artery disease: a systematic review', *BMC Health Services Research*. England: BioMed Central Ltd., 19(1), p. 364. doi: 10.1186/s12913-019-4106-1.
- Bundesamt für Sicherheit in der Informationstechnik (2020) *Sicherheitsanforderungen an digitale Gesundheitsanwendungen*. Available at: <https://www.bsi.bund.de> (Accessed: 16 June 2020).
- Bundesärztekammer (BÄK), Kassenärztliche Bundesvereinigung (KBV) and Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen (AWMF), F. (2019) 'Nationale VersorgungsLeitlinie Chronische KHK - Langfassung, 5. Auflage. Version 1'. doi: 10.6101/AZQ/000419.
- Bundesärztekammer (BÄK), Kassenärztliche Bundesvereinigung (KBV) and Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) (2019) 'Nationale VersorgungsLeitlinie Chronische Herzinsuffizienz – Langfassung, 3. Auflage. Version 2'. doi: 10.6101/AZQ/000467.
- Burke, L. E. *et al.* (2015) 'Current Science on Consumer Use of Mobile Health for Cardiovascular Disease Prevention', *Circulation*. United States, 132(12), pp. 1157–1213. doi: 10.1161/CIR.0000000000000232.
- Busch, M. A. and Kuhnert, R. (2017) '12-Monats-Prävalenz einer koronaren Herzkrankheit in Deutschland.', *Journal of Health Monitoring*, 2(1), pp. 64–96. doi: 10.17886/RKI-GBE-2017-009.
- Chandler, J. *et al.* (2019) 'Impact of a Culturally Tailored mHealth Medication Regimen Self-Management Program upon Blood Pressure among Hypertensive Hispanic Adults', *International Journal of Environmental Research and Public Health*. Switzerland, 16(7), p. 1226. doi: 10.3390/ijerph16071226.
- Coorey, G. M. *et al.* (2018) 'Effectiveness, acceptability and usefulness of mobile applications for cardiovascular disease self-management: Systematic review with meta-synthesis of quantitative and qualitative data', *European Journal of Preventive Cardiology*. England, 25(5), pp. 505–521. doi: 10.1177/2047487317750913.

Cosentino, F. *et al.* (2020) '2019 ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD', *European Heart Journal*, 41(2), pp. 255–323. doi: 10.1093/eurheartj/ehz486.

Darden, D., Richardson, C. and Jackson, E. A. (2013) 'Physical Activity and Exercise for Secondary Prevention among Patients with Cardiovascular Disease', *Current Cardiovascular Risk Reports*. *Curr Cardiovasc Risk Rep*, pp. 411–416. doi: 10.1007/s12170-013-0354-5.

Deutsche Gesellschaft für Kardiologie - Herz- und Kreislaufforschung e.V. (DGK), & Deutsche Hochdruckliga e.V. (DHL). (2017). *ESC Pocket Guidelines. Herzinsuffizienz, Version 2016* (2nd ed.). Börm Bruckmeier Verlag GmbH. <https://leitlinien.dgk.org/2017/pocket-leitlinie-herzinsuffizienz-version-2017/>

Deutsche Gesellschaft für Kardiologie - Herz- und Kreislaufforschung e.V. (DGK), & Deutsche Hochdruckliga e.V. (DHL). (2018). *ESC/ESH Pocket Guidelines: Management der arteriellen Hypertonie*. Börm Bruckmeier Verlag GmbH. <https://leitlinien.dgk.org/2019/pocket-leitlinie-management-der-arteriellen-hypertonie-2/>

Deutsche Gesellschaft für Kardiologie - Herz- und Kreislaufforschung e.V. (DGK), & Deutsche Hochdruckliga e.V. (DHL). (2020). *ESC Pocket Guidelines. Diabetes, Prädiabetes und kardiovaskuläre Erkrankungen*. Börm Bruckmeier Verlag GmbH. <https://leitlinien.dgk.org/2020/pocket-leitlinien-diabetes-praediabetes-und-kardiovaskulaere-erkrankungen-version-2019/>

Deutsche Gesellschaft für Prävention und Rehabilitation von Herz- und Kreislauferkrankungen e.V. (2020) *S3-Leitlinie zur kardiologischen Rehabilitation (LL-KardReha) im deutschsprachigen Raum Europas Deutschland, Österreich, Schweiz (D-A-CH)*.

Devi, R. *et al.* (2015) 'Internet-based interventions for the secondary prevention of coronary heart disease (Review)', *Cochrane Database of Systematic Reviews*, (12). doi: 10.1002/14651858.CD009386.pub2. [www.cochranelibrary.com](http://www.cochranelibrary.com).

Dickson, V. V., Lee, C., Yehle, K. S., Abel, W. M., & Riegel, B. (2017). Psychometric Testing of the Self-care of Hypertension Inventory: Conceptual Challenges to Collaborative Care. *Journal of Cardiovascular Nursing*, 32(5), 431–438. <https://doi.org/10.1097/JCN.0000000000000364>

Dorje, T., Zhao, G., Scheer, A., Tsokey, L., Wang, J., Chen, Y., Tso, K., Tan, B.-K., Ge, J., & Maiorana, A. (2018). SMARTphone and social media-based Cardiac Rehabilitation and Secondary Prevention (SMART-CR/SP) for patients with coronary heart disease in China: a randomised controlled trial protocol. *BMJ Open*, 8(6), e021908. <https://doi.org/10.1136/bmjopen-2018-021908>

Du, L. *et al.* (2017) 'The impact of medication adherence on clinical outcomes of coronary artery disease: A meta-analysis', *European Journal of Preventive Cardiology*. SAGE Publications Inc., 24(9), pp. 962–970. doi: 10.1177/2047487317695628.

Ettehad, D. *et al.* (2016) 'Blood pressure lowering for prevention of cardiovascular disease and

death: A systematic review and meta-analysis', *The Lancet*. Lancet Publishing Group, 387(10022), pp. 957–967. doi: 10.1016/S0140-6736(15)01225-8.

European Union Agency For Network And Information Security (2017) *Smartphone Secure Development Guidelines*. Available at: <http://www.enisa.europa.eu/activities/Resilience-and-CIIP/critical-applications/smartphone-security-1/smartphone-secure-development-guidelines>.

Fach, A., Osteresch, R., Erdmann, J., Munz, M., Alberto Mata Marin, L., Michel, S., Retzlaff, T., Wettwer, T., Schmucker, J., Hambrecht, R., & Wienbergen, H. (2019). Long-term prevention after myocardial infarction in young patients ≤45 years: the Intensive Prevention Program in the Young (IPP-Y) study. *European Journal of Preventive Cardiology*, 2047487319883960. <https://doi.org/10.1177/2047487319883960>

Geidl, W. *et al.* (2020) 'German recommendations for physical activity and physical activity promotion in adults with noncommunicable diseases', *International Journal of Behavioral Nutrition and Physical Activity*, 17(1), p. 12. doi: 10.1186/s12966-020-0919-x.

Gong, K. *et al.* (2020) 'Mobile health applications for the management of primary hypertension', *Medicine*, 99(16), p. e19715. doi: 10.1097/MD.00000000000019715.

Gößwald, A. *et al.* (2013) 'Prävalenz von Herzinfarkt und koronarer Herzkrankheit bei Erwachsenen im Alter von 40 bis 79 Jahren in Deutschland: Ergebnisse der Studie zur Gesundheit Erwachsener in Deutschland (DEGS1)', *Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz*, pp. 650–655. doi: 10.1007/s00103-013-1666-9.

Hamilton, S. J. *et al.* (2018) 'Smartphones in the secondary prevention of cardiovascular disease: A systematic review', *BMC Cardiovascular Disorders*. BioMed Central Ltd., 18(1). doi: 10.1186/s12872-018-0764-x.

Karhula, T. *et al.* (2015) 'Telemonitoring and Mobile Phone-Based Health Coaching Among Finnish Diabetic and Heart Disease Patients: Randomized Controlled Trial', *Journal of Medical Internet Research*. Canada, 17(6), p. e153. doi: 10.2196/jmir.4059.

Kerr, A. J. *et al.* (2009) 'Should the first priority in cardiovascular risk management be those with prior cardiovascular disease?', *Heart*. BMJ Publishing Group Ltd, 95(2), pp. 125–129. doi: 10.1136/hrt.2007.140905.

Knuuti, J. *et al.* (2020) '2019 ESC guidelines for the diagnosis and management of chronic coronary syndromes', *European Heart Journal*, 41(3), pp. 407–477. doi: 10.1093/eurheartj/ehz425.

Kotseva, K. *et al.* (2016) 'EUROASPIRE IV: A European Society of Cardiology survey on the lifestyle, risk factor and therapeutic management of coronary patients from 24 European countries', *European Journal of Preventive Cardiology*. SAGE Publications Inc., 23(6), pp. 636–648. doi: 10.1177/2047487315569401.

Logan, A. G. *et al.* (2012) 'Effect of home blood pressure telemonitoring with self-care support

on uncontrolled systolic hypertension in diabetics', *Hypertension*. Lippincott Williams & Wilkins Hagerstown, MD, 60(1), pp. 51–57. doi: 10.1161/HYPERTENSIONAHA.111.188409.

Lunde, P. *et al.* (2020) 'Long-term follow-up with a smartphone application improves exercise capacity post cardiac rehabilitation: A randomized controlled trial', *European Journal of Preventive Cardiology*. England, p. 204748732090571. doi: 10.1177/2047487320905717.

Maddison, R. *et al.* (2015) 'A mobile phone intervention increases physical activity in people with cardiovascular disease: Results from the HEART randomized controlled trial.', *European journal of preventive cardiology*. England, 22(6), pp. 701–709. doi: 10.1177/2047487314535076.

Márquez Contreras, E. *et al.* (2019) 'Specific hypertension smartphone application to improve medication adherence in hypertension: a cluster-randomized trial', *Current Medical Research and Opinion*. England: Taylor and Francis Ltd, 35(1), pp. 167–173. doi: 10.1080/03007995.2018.1549026.

Medical Device Coordination Group (2020) *Guidance on Clinical Evaluation (MDR) / Performance Evaluation (IVDR) of Medical Device Software*. Available at: file:///Volumes/GoogleDrive/My Drive/DOWNLOADS/MDCG 2020-1 (1).pdf.

Michie, S. *et al.* (2013) 'The Behavior Change Technique Taxonomy (v1) of 93 Hierarchically Clustered Techniques: Building an International Consensus for the Reporting of Behavior Change Interventions', *Annals of Behavioral Medicine*, 46(1), pp. 81–95. doi: 10.1007/s12160-013-9486-6.

Moon, E. W. *et al.* (2019) 'The Use of Wireless, Smartphone App-Assisted Home Blood Pressure Monitoring Among Hypertensive Patients in Singapore: Pilot Randomized Controlled Trial', *JMIR mHealth and uHealth*. Canada, 7(5), p. e13153. doi: 10.2196/13153.

Morawski, K. *et al.* (2018) 'Association of a Smartphone Application With Medication Adherence and Blood Pressure Control', *JAMA Internal Medicine*. United States, 178(6). doi: 10.1001/jamainternmed.2018.0447.

Naderi, S. H., Bestwick, J. P. and Wald, D. S. (2012) 'Adherence to drugs that prevent cardiovascular disease: Meta-analysis on 376,162 patients', *American Journal of Medicine*. Elsevier Inc., 125(9), pp. 882-887.e1. doi: 10.1016/j.amjmed.2011.12.013.

Neuhauser, H., Kuhnert, R. and Born, S. (2017) '12-Monats-Prävalenz von Bluthochdruck in Deutschland', *Journal of Health Monitoring*, 2(1), pp. 57–63. doi: 10.17886/RKI-GBE-2017-007.

Omboni, S. *et al.* (2013) 'Clinical usefulness and cost effectiveness of home blood pressure telemonitoring: Meta-analysis of randomized controlled studies', *Journal of Hypertension*, 31(3), pp. 455–468. doi: 10.1097/HJH.0b013e32835ca8dd.

Open Web Application Security Project (2020) *OWASP Mobile Security Testing Guide*. Available at: <https://owasp.org/www-project-mobile-security-testing-guide/> (Accessed: 16 June 2020).

Pelliccia, A., Sharma, S., Gati, S., Bäck, M., Börjesson, M., Caselli, S., Collet, J.-P., Corrado, D., Drezner, J. A., Halle, M., Hansen, D., Heidbuchel, H., Myers, J., Niebauer, J., Papadakis, M., Piepoli, M. F., Prescott, E., Roos-Hesselink, J. W., Graham Stuart, A., ... Wilhelm, M. (2020). 2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. *European Heart Journal*. <https://doi.org/10.1093/eurheartj/ehaa605>

Persell, S. D. *et al.* (2020) 'Effect of Home Blood Pressure Monitoring via a Smartphone Hypertension Coaching Application or Tracking Application on Adults With Uncontrolled Hypertension', *JAMA Network Open*. United States, 3(3), p. e200255. doi: 10.1001/jamanetworkopen.2020.0255.

Pfaeffli Dale, L. *et al.* (2016) 'The effectiveness of mobile-health behaviour change interventions for cardiovascular disease self-management: A systematic review', *European Journal of Preventive Cardiology*. England, 23(8), pp. 801–817. doi: 10.1177/2047487315613462.

Pickering, T. G. *et al.* (2008) 'Call to action on use and reimbursement for home blood pressure monitoring: A joint scientific statement from the American heart association, american society of hypertension, and preventive cardiovascular nurses association', *Journal of Cardiovascular Nursing*. *J Cardiovasc Nurs*, 23(4), pp. 299–323. doi: 10.1097/01.JCN.0000317429.98844.04.

Piepoli, M. F. *et al.* (2014) 'Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery', *European Journal of Preventive Cardiology*. SAGE Publications Inc., 21(6), pp. 664–681. doi: 10.1177/2047487312449597.

Piepoli, M. F. *et al.* (2016) '2016 European Guidelines on cardiovascular disease prevention in clinical practice: The Sixth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representati', *Atherosclerosis*. Elsevier Ireland Ltd, 252, pp. 207–274. doi: 10.1016/j.atherosclerosis.2016.05.037.

Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., González-Juanatey, J. R., Harjola, V. P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., ... Davies, C. (2016). 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*, 37(27), 2129-2200m. <https://doi.org/10.1093/eurheartj/ehw128>

Riegel, B., Lee, C. S., Dickson, V. V., & Carlson, B. (2009). An update on the self-care of heart failure index. *Journal of Cardiovascular Nursing*, 24(6), 485–497. <https://doi.org/10.1097/JCN.0b013e3181b4baa0>

Roth, G. A. *et al.* (2017) 'Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015', *Journal of the American College of Cardiology*. Elsevier USA, 70(1), pp. 1–25. doi: 10.1016/j.jacc.2017.04.052.

Salzwedel, A. *et al.* (2020) 'Effectiveness of comprehensive cardiac rehabilitation in coronary artery disease patients treated according to contemporary evidence based medicine: Update of the Cardiac Rehabilitation Outcome Study (CROS-II)', *European Journal of Preventive Cardiology*, p. 204748732090571. doi: 10.1177/2047487320905719.

Sankaran, S., Dendale, P. and Coninx, K. (2019) 'Evaluating the Impact of the HeartHab App on Motivation, Physical Activity, Quality of Life, and Risk Factors of Coronary Artery Disease Patients: Multidisciplinary Crossover Study', *JMIR mHealth and uHealth*. Canada, 7(4), p. e10874. doi: 10.2196/10874.

Santo, K. *et al.* (2019) 'Medication reminder applications to improve adherence in coronary heart disease: a randomised clinical trial', *Heart*, 105(4), pp. 323–329. doi: 10.1136/heartjnl-2018-313479.

Sarfo, F. *et al.* (2019) 'Phone-based intervention for blood pressure control among Ghanaian stroke survivors: A pilot randomized controlled trial', *International Journal of Stroke*. United States, 14(6), pp. 630–638. doi: 10.1177/1747493018816423.

Sarwar, C. M. S. *et al.* (2018) 'Mobile health applications in cardiovascular research', *International Journal of Cardiology*. Netherlands, 269, pp. 265–271. doi: 10.1016/j.ijcard.2018.06.039.

Schmid, T. (2015) 'Costs of treating cardiovascular events in Germany: a systematic literature review', *Health Economics Review*. Springer Verlag, pp. 1–11. doi: 10.1186/s13561-015-0063-5.

Schwarzer, R. (2008). Modeling health behavior change: How to predict and modify the adoption and maintenance of health behaviors. *Applied Psychology*, 57, 1–29. <https://doi.org/10.1111/j.1464-0597.2007.00325.x>

Schwarzer, R., Lippke, S. and Luszczynska, A. (2011) 'Mechanisms of health behavior change in persons with chronic illness or disability: The Health Action Process Approach (HAPA).', *Rehabilitation Psychology*, 56(3), pp. 161–170. doi: 10.1037/a0024509.

Shahaj, O. *et al.* (2019) 'Supporting self-management for people with hypertension', *Journal of Hypertension*. England, 37(2), pp. 264–279. doi: 10.1097/HJH.0000000000001867.

Townsend, N. *et al.* (2016) 'Cardiovascular disease in Europe: Epidemiological update 2016', *European Heart Journal*, 37(42), pp. 3232–3245. doi: 10.1093/eurheartj/ehw334.

Vuorinen, A.-L. *et al.* (2014) 'Use of Home Telemonitoring to Support Multidisciplinary Care of Heart Failure Patients in Finland: Randomized Controlled Trial', *Journal of Medical Internet Research*. Journal of Medical Internet Research, 16(12), p. e282. doi: 10.2196/jmir.3651.

Wang, C. *et al.* (2019) 'Aerobic exercise interventions reduce blood pressure in patients after stroke or transient ischaemic attack: A systematic review and meta-analysis', *British Journal of Sports Medicine*. BMJ Publishing Group, pp. 1515–1525. doi: 10.1136/bjsports-2017-098903.

Whitehead, L. and Seaton, P. (2016) 'The Effectiveness of Self-Management Mobile Phone and Tablet Apps in Long-term Condition Management: A Systematic Review', *Journal of Medical Internet Research*. Canada, 18(5), p. e97. doi: 10.2196/jmir.4883.

Wienbergen, H., Schwaab, B., Bjarnason-Wehrens, B., Guha, M., Laszlo, R., Burgstahler, C., von Haehling, S., Halle, M., Zahn, R., & Hambrecht, R. (2020). Ärztliche Betreuung von ambulanten Herzgruppen. In *Kardiologe* (pp. 1–8). Springer Medizin. <https://doi.org/10.1007/s12181-020-00433-w>

Williams, B. *et al.* (2018) '2018 ESC/ESH Guidelines for the management of arterial hypertension', *European Heart Journal*. Börn Bruckmeier Verlag GmbH, 39(33), pp. 3021–3104. doi: 10.1093/eurheartj/ehy339.

Woodward, M., Brindle, P. and Tunstall-Pedoe, H. (2007) 'Adding social deprivation and family history to cardiovascular risk assessment: The ASSIGN score from the Scottish Heart Health Extended Cohort (SHHEC)', *Heart*, 93(2), pp. 172–176. doi: 10.1136/hrt.2006.108167.

Wu, C., Li, Y. and Chen, J. (2018) 'Hybrid versus traditional cardiac rehabilitation models: a systematic review and meta-analysis', *Kardiologia Polska*. Poland, 76(12), pp. 1717–1724. doi: 10.5603/KP.a2018.0175.

Xiong, S. *et al.* (2018) 'Effectiveness of mHealth Interventions in Improving Medication Adherence Among People with Hypertension: a Systematic Review', *Current Hypertension Reports*. United States, 20(10), p. 86. doi: 10.1007/s11906-018-0886-7.